

## Type 304 Stainless Steel Band

### BAND-IT Band Boxed - with easy scale

100 Ft. per roll (30.5M) Type 304 Stainless Steel

Cat. No.	Width		Thickness		Weight	
	In.	mm	Inches	mm	Lbs	Kg
C923	3/8	9.53	0.024	0.60	3.2	1.5
C924	1/2	12.70	0.028	0.70	4.8	2.2
C925	5/8	15.88	0.028	0.70	6.2	2.8
C926	3/4	19.05	0.028	0.70	7.5	3.4

Available in mill coil lengths All sizes in standard cardboard packaging



### BAND-IT Dispensers complete with band

100 Ft. per roll (30.5M) Type 304 Stainless Steel

Cat. No.	Width		Thickness		Weight	
	In.	mm	Inches	mm	Lbs	Kg
C923Y	3/8	9.53	0.024	0.60	3.2	1.5
C924B	1/2	12.70	0.028	0.70	5.0	2.3
C925G	5/8	15.88	0.028	0.70	6.4	2.9
C926R	3/4	19.05	0.028	0.70	7.7	3.5




• Dispensers

### BAND-IT Buckles Pkg. Qty. - 100

Austenitic stainless Steel



Cat. No.	Width		Weight	
	In.	mm	Lbs	Kg
C953	3/8	9.53	0.8	0.4
C954	1/2	12.70	2.1	1.0
C955	5/8	15.88	2.4	1.1
C956	3/4	19.05	3.7	1.7



• C001 Band-it Tool

### Valuclips Austenitic Stainless Steel Pkg. Qty. - 100

Cat. No.	Width		Weight	
	In.	mm	Lbs	Kg
C153	3/8	9.53	0.6	0.3
C154	1/2	12.70	1.1	0.5
C155	5/8	15.88	1.2	0.5
C156	3/4	19.05	2.1	0.9



• C400 Ratchet Tool

### Valustrap 200 - 300 Stainless Steel Thickness .015" (.38mm)

100Ft. Roll (30.5M) 300Ft. Roll (61M)

Cat. No.	Weight		Cat. No.	Weight		Width	
	Lbs	Kg		Lbs	Kg	In.	mm
C133	2.2	1.0	C127	4.4	2.0	3/8	9.53
C134	2.9	1.3	C128	5.8	2.6	1/2	12.70
C135	3.6	1.7	C129	7.3	3.2	5/8	15.88
C136	4.4	2.0	C130	8.8	3.9	3/4	19.05

Available in mill coil lengths

### Pok-It II Tool

Pkg. Qty. - 1

Cat. No.	Description	Weight	
		Lbs	Kg
J020	Pok-it II Tool	1.1	0.5

For use with 1/4" (6.35mm) or 3/8" (9.53mm) band, Ear-Lokt, Scru-Lokt, Jr, and Free-end clamps.



### Valustrap Plus 200 - 300 Stainless Steel

100Ft. Roll (30.5M) .020" (.51mm) Thickness

Cat. No.	Weight		Width	
	Lbs	Kg	In.	mm
C191	2.9	1.3	3/8	9.53
C181	3.8	1.7	1/2	12.70
C171	5.6	2.6	5/8	15.88
C161	5.7	2.5	3/4	19.05

Available in mill coil lengths

### Thrifttool

Pkg. Qty. - 1

Cat. No.	Description	Weight	
		Lbs	Kg
J075	Thrifttool - 10 per carton	5.9	2.7

For use with 1/4" (6.35mm) or 3/8" (9.53mm) band. Also Free-end and Jr. clamps. Use a 1/2" (12.7mm) Wrench to apply tension. - No built in cutter





## BAND-IT Dispensers 100 Ft. per roll (30.5M)

Type 201 Stainless Steel Dispenser complete with band



Cat. No.	Width		Description	Thickness		Weight	
	In.	mm		In.	mm	Lbs	Kg
C203Y	3/8	9.53	Band +Yellow Dispenser	0.025	0.63	3.62	1.6
C204B	1/2	12.7	Band +Blue Dispenser	0.030	0.76	5.56	2.5
C205G	5/8	15.9	Band +Green Dispenser	0.030	0.76	6.85	3.1
C206R	3/4	19.05	Band +Red Dispenser	0.030	0.76	8.16	3.7

1/4" (6.35mm) band not available in dispenser

## BAND-IT Band - with EASY SCALE 100 Ft. per roll (30.5M)

Type 201 Stainless Steel

Cat. No.	Width		Thickness		Weight	
	In.	mm	In.	mm	Lbs	Kg
C202	1/4	6.35	0.020	0.51	1.7	0.77
C203	3/8	9.53	0.025	0.63	3.2	1.5
C204	1/2	12.70	0.030	0.76	5.1	2.3
C205	5/8	15.88	0.030	0.76	6.4	2.9
C206	3/4	19.05	0.030	0.76	7.7	3.5

Available in mill coil lengths. All sizes in standard cardboard packaging. All sizes except C202 available in plastic dispensers

## Type 316 BAND-IT Band

Type 316 Stainless Steel

C402	1/4	6.35	0.020	0.51	1.7	0.9
C403	3/8	9.53	0.025	0.63	3.2	1.6
C404	1/2	12.70	0.030	0.76	5.1	2.4
C405	5/8	15.88	0.030	0.76	6.4	3.0
C406	3/4	19.05	0.030	0.76	7.7	3.5

## Monel 400 Band


100 Ft. per roll (30.5M)

C803	3/8	9.53	0.025	0.63	3.7	1.7
C804	1/2	12.70	0.030	0.76	5.1	2.4
C805	5/8	15.88	0.030	0.76	7.7	3.5
C806	3/4	19.05	0.030	0.76	7.7	3.5

## Scru-Lokt Buckles (Retensionable)

Pkg. Qty. - 50 for C720 and C722, 25 for C724, and C726

Cat. No.	Width		Weight	
	In.	mm	Lbs	Kg
C720	1/4	6.35	0.3	0.1
C722	3/8	9.53	0.5	0.2
C724	1/2	12.70	0.5	0.2
C726	3/4	19.05	0.9	0.4



## BAND-IT Tool Pkg. Qty. 1

Cat. No.	Description	Weight	
		Lbs	Kg
C001	Band-it Tool for all Bands up to 3/4" (19.05mm) wide	4.4	2.0



## Ratchet Tool Pkg. Qty. 1

C400	Ratchet Tool for all Bands up to 3/4" (19.05mm) wide	3.4	1.5
------	--	-----	-----



## Tension Limiter Pkg. Qty. 1

C065	Provides consistent clamp tension. For use with C001 Band-it Tool	1.0	0.5
------	---	-----	-----



## BAND-IT Buckles

Pkg. Qty. - 100

Type 201 Stainless Steel

Cat. No.	Width		Weight	
	In.	mm	Lbs	Kg
C252*	1/4	6.35	0.3	0.1
C253	3/8	9.53	0.8	0.4
C254	1/2	12.70	2.1	1.0
C255	5/8	15.88	2.4	1.1
C256	3/4	19.05	3.7	1.7



\* Free-end Clip design

## Type 316 BAND-IT Buckles

Stainless Steel Type 316

C453	3/8	9.53	0.8	0.4
C454	1/2	12.70	2.1	1.0
C455	5/8	15.88	2.4	1.1
C456	3/4	19.05	3.7	1.7


## Monel Buckles

C853	3/8	9.53	0.8	0.4
C854	1/2	12.70	2.1	1.0
C855	5/8	15.88	2.4	1.1
C856	3/4	19.05	3.7	1.7

## Giant Buckles

Pkg. Qty. - 100


Cat. No.	Width		Weight	
	In.	mm	Lbs	Kg
G440	3/4	19.05	1.8	0.8
G441	1	25.40	2.4	1.1
G442	1 1/4	31.75	3.2	1.4



## Giant II Tool

Pkg. Qty. - 1

Cat. No.	Description	Weight	
		Lbs	Kg
G402	Giant II Tool	11.7	5.3



## Giant Band

100 Ft. per roll (30.5M)

Type 201 Stainless Steel


Cat. No.	Width		Thickness		Weight	
	In.	mm	In.	mm	Lbs	Kg
G430	3/4	19.05	0.040	1.00	11.6	5.4
G431	1	25.40	0.040	1.00	13.7	6.4
G432	1 1/4	31.75	0.040	1.00	17.2	8.0

Galvanised Carbon Steel available by special order



## Free-End Clips Pkg. Qty. - 100 Stainless Steel Type 200/300

Cat. No.	Width		Weight	
	In.	mm	Lbs	Kg
C251	3/16	4.75	0.16	0.07
C252	1/4	6.35	0.30	0.10
L153	3/8	9.53	0.90	0.40
L154	1/2	12.70	1.50	0.70
L155	5/8	15.88	1.80	0.80
L156	3/4	19.05	2.60	1.20




## Free-End Clamps Stainless Steel Type 201 *Note L103 to L110 in Type 304SS*

\* 4" (101.6mm) tail required for tool gripping

Cat. No.	Max. Dia. Single Wrap		Max. Dia. Double Wrap		Total Length*		Band Width		Band Thickness		Pack Qty.	Weight	
	In.	mm	In.	mm	In.	mm	In.	mm	In.	mm		Lbs.	Kg.
	L103	2	50			10	25	3/16	4.75	0.015	0.38	100	0.90
L104	3 1/2	88	1 1/2	38	16	40	3/16	4.75	0.015	0.38	100	1.40	0.63
L107	5	127	2 1/2	63	19	48	3/16	4.75	0.015	0.38	100	1.80	0.82
L108	7	177	3 1/2	88	27	68	3/16	4.75	0.015	0.38	100	2.20	1.00
L110	9	228	4 1/2	114	34	86	3/16	4.75	0.015	0.38	100	2.80	1.30
L203	2	50			10	25	1/4	6.35	0.020	0.51	100	2.20	0.99
L204	3 1/2	88	1 1/2	38	16	40	1/4	6.35	0.020	0.51	100	3.10	1.40
L221	3 1/2	88	1 1/2	38	16	40	3/8	9.53	0.025	0.63	100	6.20	2.80
L242	4	101	2	50	18	45	1/2	12.7	0.030	0.76	100	10.5	4.80
L207	5	127	2 1/2	63	19	48	1/4	6.35	0.020	0.51	100	3.50	1.60
L263	5	127	2 1/2	63	21	53	5/8	15.88	0.030	0.76	100	15.1	6.80
L284	6	152	3	76	24	60	3/4	19.05	0.030	0.76	50	10.9	4.90
L208	7	177	3 1/2	88	27	68	1/4	6.35	0.020	0.51	100	4.60	2.10
L246	8	203	4	101	31	78	1/2	12.70	0.030	0.76	25	4.70	2.10
L210	9	228	4 1/2	114	34	86	1/4	6.35	0.020	0.51	100	5.60	2.60
L288	10	254	5	127	37	93	3/4	19.05	0.030	0.76	25	7.60	3.50
L229	12	304	6	152	44	112	3/8	9.53	0.025	0.63	25	3.80	1.60
L290	14	355	7	177	50	127	3/4	19.05	0.030	0.76	25	9.70	4.40
L271	16	406	8	203	56	142	5/8	15.88	0.030	0.76	25	9.00	4.10
L292	18	457	9	228	62	157	3/4	19.05	0.030	0.76	25	11.8	5.30
L273	20	508	10	254	69	175	5/8	15.88	0.030	0.76	25	10.7	4.80

## Application Tools Pkg. Qty. - 1


Cat. No.	Description	Weight	
		Lbs	Kg
S350	Auto Air Tool	135	61.2
J001	For use with C001 Tool to apply jr. clamps	1.4	0.6
S750	Standard Air Tool	43.3	19.4
C002	For applying Jr. Smooth I.D. clamps	5.7	2.6
J050	For use with C001 Tool to apply Jr. clamps	1.7	0.8



• S350




• S750



• C001




• C075



• C002



• J001 Junior Adaptor



• J050 Heavy Duty Junior Adaptor